ARCTIC SURVIVOR EVO X RESCUE PFD



PFD can be used in all river, lake and ocean environments including aerated moving water, flood waters and surf. Using a personal flotation device (PFD) helps reduce the risk for workers who fall into water or who have to evacuate their vessel in an emergency.

CERTIFICATIONS

EN ISO 12402-5:2020 EN ISO 12402-6:2020 PPE Regulation (EU) 2016/425

FEATURES

Padded adjustable shoulder straps Strap keeper pockets safely store excess and reduce snag hazards Internal fail safe system - load tested to 3.2kN Quick release chest harness Chest buckle and Velcro chest closure Tough TPU vented shoulder panels 4-way lash tabs (front and rear) Internal pockets Reflexite[®] prismatic banding Quick release buckles Side ladderlock buckles Front zipped pouch with internal mesh pouch, plastic D-Ring and SOS pealess whistle (EN394 ISO12402) fitted to a retractable lanyard Cowtail (elasticated with reinforced stitching and stainless steel o-ring) Dual lock carabiner (EN12275:2013, EN362:2004/B) Removable encapsulated rescue panel Non-slip waist band Plastic D-Ring buckles Removable crotch straps Supplied in drawstring storage bag

OUTER FABRIC 400D ripstop nylon (red) EN ISO 12402-7:2006+A1:2010

INNER FABRIC Buoyant PVC closed cell foam EN ISO 12402-7:2006/A1:2011 (D)

INTERNAL LINING FABRIC 200D nylon and mesh (black) EN ISO 12402-7:09/2006 EN ISO 12402/prA1 08/2007

DESCRIPTION

PFDS

STOCK CODE

PFD-EVOX-SIZE

+44 (0) 1257 25 44 44 | INFO@NDIVER.COM VISIT WWW.NDIVER-RESCUE.COM

RESCUE

ISRE

SIZES AVAILABLE

MEDIUM

SRE

Chest: up to 106cm (42") Weight: 76kg (167.5lbs) Newtons: >70N

LARGE

Chest: up to 116cm (46") Weight: 95kg (209.4lbs) Newtons: 80N

XL

Chest: up to 142cm (56") Weight: 115kg (253.5lbs) Newtons: >85N

APPLICATION SPECIFIC PFD Swift Water Rescue

EVO X PARTS BREAKDOWN

5

10


FRONT VIEW


01. Adjustable shoulder straps

- > 38mm nylon webbing
- > 38mm ladder lock slide buckle
- > Shoulder strap pouch
- > Reflexite® prismatic banding
- > 3.0mm reflective piping
- 02. 25mm Reflexite® prismatic banding
- **03.** 4-way lash tabs (3)
- > Size: 55x55mm
- 04. Front zipped pouch & SOS whistle
 - > YKK 5V zipper and rubber puller
 - > 3.0mm reflective piping
 - > Internal plastic D-rings (2)
 - > Retractable lanyard
 - > SOS Pea-less Emergency Whistle
- > Internal mesh pouch
- 05. Quick release chest harness
 - > Available in sizes M, L, XL
 - > 38mm nylon webbing
- > 38mm quick release buckle
- > Adjusting stainless steel slide buckle
- 06. Easy pull toggle
- > 32mm parrell bead 4.0mm pull cord
- 07. 25mm quick release buckles (2)
- 08. 25mm YKK chest buckle
- 09. 25mm D-buckles (3)
- 10. Anti-slip waist band
- 11.38mm sleek sliplock buckle
- 12. 25mm removable crotch straps

BACK VIEW

- 01. Adjustable shoulder straps
- 02. 25mm Reflexite® prismatic banding
- 03. 4-way lash tabs (3)
- 04. Additional TPU shoulder protection
- 05. 38mm quick release chest harness
- 06. Cowtail and stainless steel O-ring
- > 50mm stainless steel O-ring> Reinforced stitching
- > Reinforced stitching
- 07. Dual lock carabiner
- **08.** Removable encapsulated panel
- > Size: 240 x 80mm> Can be customised upon request
- **09.** Anti-slip waist band





9

ERNDIVER O SRE O HORITY

10

DATHERNOVER & SRE & HORTH

EVO X PARTS BREAKDOWN



REFLECTIVE BANDS



FRONT POCKET : ZIPPED CLOSURE



INSIDE POCKET : PEA-LESS WHISTLE



REMOVABLE CHEST HARNESS



INTERNAL DOCUMENT POCKETS



50MM 4-WAY LASH TABS



COWTAIL AND CARABINER



ANTI SLIP WAIST BAND



DRAWSTRING STORAGE BAG