

# NORTHERN DIVER

MINE WARFARE & MILITARY DIVING SPECIALISTS

## SINGLE RIGID BOARDING LADDERS

Both the 1.5 metre and 2.5 metre RBL singles can be deployed using either a Telescopic Pole or a Carbon Fibre Telescopic Pole. This provides a more versatile solution by allowing the RBLs to be used at greater heights than the fixed lengths would allow. Both the 1.5 and 2.5 RBL come with the bracket attached.



### RBL 1.5



1.5m x 35cm x 46cm  
(59 x 13.7 x 18.1 in)



Aluminium



Matt black powder coat



4.50 kg  
(9.92 lbs)



320 mm  
(12.5 in)



300 mm  
(11.81 in)



Rung:  
450 kg (992 lbs)



Arch:  
1390 kg (3064 lbs)



Eye Bolt:  
1210 kg (2668 lbs)



2090-99-396-2385



### RBL 2.5



2.5 m x 35 cm x 46 cm  
(98.4 x 13.7 x 18.1 in)



Aluminium



Matt black powder coat



6.50 kg  
(14.33 lbs)



320 mm  
(12.5 in)



300 mm  
(11.81 in)



Rung:  
450 kg (992 lbs)



Arch: 1390 kg  
(3064 lbs)



Eye Bolt:  
1210 kg (2668 lbs)



2090-99-726-7741



## RBL 3.5



3.5 m x 35 cm x 46 cm  
(137.7 x 13.7 x 18.1 in)



Aluminium



Matt black  
powder coat



8.50 kg  
(18.74 lbs)



320 mm  
(12.5 in)



300 mm  
(11.81 in)



Rung:  
450 kg (992 lbs)



Arch:  
1390 kg (3064 lbs)



Eye Bolt:  
1210 kg (2668 lbs)



2090-99-152-8260



## RBL 4.5



4.5 m x 35 cm x 46 cm  
(177.1 x 13.7 x 18.1 in)



Aluminium



Matt black  
powder coat



10.50 kg  
(23.15 lbs)



320 mm  
(12.5 in)



300 mm  
(11.81 in)



Rung:  
450 kg (992 lbs)



Arch: 1390 kg  
(3064 lbs)



Eye Bolt:  
1210 kg (2668 lbs)



0000-00-000-0000

# RBL FLEXIBLE EXTENSIONS

The Flexible Extension provides additional length to the Rigid Boarding Ladders. It can also help to prevent damage to the RHIB and the RBL if they make contact in rough sea states. The extensions are supplied with the recommended number of Stand Off Discs and two carabiners for attaching to the RBL.

Breakaway connectors can also be used to prevent damage to the RBL if a component of the RHIB inadvertently catches the extension ladder. The Flexible Extension comes in 1m, 2m and 4m lengths. They are easy to attach and detach according to mission requirements.



## RBL FE1



1m x 27 cm  
(3.2 ft x 18.1 in)



Stainless steel,  
aluminium



1.36 kg  
(2.99 lbs)



300 mm  
(11.81 in)



Rung:  
500 kg (1102 lbs)



Rung side:  
800 kg (1764 lbs)



Ladder:  
2013 kg (4438 lbs)



250 mm  
(9.84 in)



Black anodised  
knurled rungs



2090-99-958-6768



## RBL FE2B



2m x 27 cm  
(6.4 ft x 18.1 in)



Stainless steel,  
aluminium



2.01 kg  
(4.43 lbs)



300 mm  
(11.81 in)



Rung:  
500 kg (1102 lbs)



Rung side:  
800 kg (1764 lbs)



Ladder:  
2013 kg (4438 lbs)



250 mm  
(9.84 in)



Black anodised  
knurled rungs



2090-99-168-0942

### OFFICE

Northern Diver International Ltd  
East Quarry, Appley Bridge, Wigan  
Lancs, WN6 9AE, UK

### MEL SIMM

Office: +44 (0) 1257 25 69 36  
Mobile: +44(0) 7877 693 876  
Email: mel@ndiver.com

### NEIL TORDOFF

Office: +44 (0) 1257 25 69 49  
Mobile: +44(0)7872 061 533  
Email: neil@ndiver.com